

MATERIAL SAFETY DATA SHEET

MSDS No. 10666

Trade Name: HIBTROL* (all grades)

Revision Date: 09/25/2009

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: HIBTROL* (all grades)

Chemical Family: Mixture

Product Use: Fluid loss reducer. Shale inhibitor.

Supplied by: M-I L.L.C.
P.O. Box 42842
Houston, TX 77242
www.miswaco.com

Telephone Number: 281-561-1511

Emergency Telephone (24 hr.): 281-561-1600

Prepared by: Product Safety Group

Revision No. 8

HMIS Rating**Health:** 1* **Flammability:** 1 **Physical Hazard:** 0 **PPE:** E

4=Severe, 3=Serious, 2=Moderate, 1=Slight, 0=Minimal Hazard. *Chronic effects - See Section 11. See Section 8 for Personal Protective Equipment recommendations.

2. HAZARDS IDENTIFICATION

Emergency Overview: Caution! May cause mechanical irritation of eyes, skin and respiratory tract. Long term inhalation of particulates may cause lung damage.

Canadian Classification:**UN PIN No:** Not regulated.**WHMIS Class:** D2A**Physical State:** Powder **Color:** White or Yellowish **Odor:** Odorless**Potential Health Effects:****Acute Effects**

Eye Contact: May cause mechanical irritation.

Skin Contact: May cause mechanical irritation.

Inhalation: May cause mechanical irritation.

Ingestion: May cause gastric distress, nausea and vomiting if ingested.

Carcinogenicity & Chronic Effects: See Section 11 - Toxicological Information.

Routes of Exposure: Eyes. Dermal (skin) contact. Inhalation.

Target Organs/Medical Conditions Aggravated by Overexposure: Eyes. Skin. Respiratory System.

MATERIAL SAFETY DATA SHEET

Trade Name: **HIBTROL* (all grades)**

Revision Date: 09/25/2009

MSDS No. 10666

Page 2/6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Wt. %	Comments:
Modified cellulose		60 - 100	No comments.
Glycine, N,N-bis(carboxymethyl)-, trisodium salt	5064-31-3	0.1 - 1	No comments.

4. FIRST AID MEASURES

Eye Contact:	Promptly wash eyes with lots of water while lifting eye lids. Look for and remove contact lenses. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Skin Contact:	Wash skin thoroughly with soap and water. Remove contaminated clothing and launder before reuse. Get medical attention if any discomfort continues.
Inhalation:	Move person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion:	Dilute with 2 - 3 glasses of water or milk, if conscious. Never give anything by mouth to an unconscious person. If signs of irritation or toxicity occur seek medical attention.
General notes:	Persons seeking medical attention should carry a copy of this MSDS with them.

5. FIRE FIGHTING MEASURES

Flammable Properties

Flash Point: F (C):	NA
Flammable Limits in Air - Lower (%):	ND
Flammable Limits in Air - Upper (%):	ND
Autoignition Temperature: F (C):	ND
Flammability Class:	NA
Other Flammable Properties:	Particulate may accumulate static electricity. Dusts at sufficient concentrations can form explosive mixtures with air.
Extinguishing Media:	Use extinguishing media appropriate for surrounding fire.

Protection Of Fire-Fighters:

Special Fire-Fighting Procedures: Do not enter fire area without proper personal protective equipment, including NIOSH/MSHA approved self-contained breathing apparatus. Evacuate area and fight fire from a safe distance. Water spray may be used to keep fire-exposed containers cool. Keep water run off out of sewers and waterways.

Hazardous Combustion Products: Oxides of: Carbon. Sodium.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Use personal protective equipment identified in Section 8.
Spill Procedures:	Evacuate the spill area with the exception of the spill response team. Wet product may create a slipping hazard. Contain spilled material. Do not allow spilled material to enter sewers, storm drains or surface waters. Avoid the generation of dust. Sweep, vacuum, or shovel and place into closable container for disposal.

MATERIAL SAFETY DATA SHEET

Trade Name: **HIBTROL* (all grades)**

Revision Date: 09/25/2009

MSDS No. 10666

Page 3/6

Environmental Precautions: Waste must be disposed of in accordance with federal, state and local laws.

7. HANDLING AND STORAGE

Handling: Put on appropriate personal protective equipment. Avoid contact with skin and eyes. Avoid generating or breathing dust. Product is slippery if wet. Use only with adequate ventilation. Wash thoroughly after handling.

Storage: Store in dry, well-ventilated area. Keep container closed. Store away from incompatibles. Follow safe warehousing practices regarding palletizing, banding, shrink-wrapping and/or stacking.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits (TLV & PEL - 8H TWA):

Ingredient	CAS No.	Wt. %	ACGIH TLV	OSHA PEL	Other	Notes
Modified cellulose		60 - 100	NA	NA	NA	(1)
Glycine, N,N-bis(carboxymethyl)-, trisodium salt	5064-31-3	0.1 - 1	NA	NA	NA	None

Notes

(1) Control as an ACGIH particulate not otherwise specified (PNOS): 10 mg/m³ (Inhalable); 3 mg/m³ (Respirable) and an OSHA particulate not otherwise regulated (PNOR): 15 mg/m³ (Total); 5 mg/m³ (Respirable).

Engineering Controls: Use appropriate engineering controls such as, exhaust ventilation and process enclosure, to ensure air contamination and keep workers exposure below the applicable limits.

Personal Protection Equipment

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazards present and the risk of exposure to those hazards. The PPE recommendations below are based on our assessment of the chemical hazards associated with this product. The risk of exposure and need for respiratory protection will vary from workplace to workplace and should be assessed by the user.

Eye/Face Protection: Dust resistant safety goggles.

Skin Protection: Wear appropriate clothing to prevent repeated or prolonged skin contact. Chemical resistant gloves recommended for prolonged or repeated contact. Use protective gloves made of: Nitrile. Neoprene.

Respiratory Protection: All respiratory protection equipment should be used within a comprehensive respiratory protection program that meets the requirements of 29 CFR 1910.134 (U.S. OSHA Respiratory Protection Standard) or local equivalent.

If exposed to airborne particles of this product use at least a NIOSH-approved N95 half-mask disposable or re-useable particulate respirator. In work environments containing oil mist/aerosol use at least a NIOSH-approved P95 half-mask disposable or re-useable particulate respirator.

General Hygiene Considerations: Work clothes should be washed separately at the end of each work day. Disposable clothing should be discarded, if contaminated with product.

MATERIAL SAFETY DATA SHEET

Trade Name: **HIBTROL* (all grades)**

MSDS No. 10666

Revision Date: 09/25/2009

Page 4/6

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	White or Yellowish
Odor:	Odorless
Physical State:	Powder
pH:	7 (1% solution)
Specific Gravity (H2O = 1):	1.50 - 1.60 at 68F (20C)
Solubility (Water):	Soluble
Melting/Freezing Point:	ND
Boiling Point:	ND
Viscosity:	5000 - 10000 mPa.s, 4% solution
Vapor Pressure:	NA
Vapor Density (Air=1):	NA
Evaporation Rate:	NA
Odor Threshold(s):	ND

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable
Conditions to Avoid:	Keep away from heat, sparks and flame. Avoid contact with water and moist air - product is hygroscopic.
Materials to Avoid:	Oxidizers.
Hazardous Decomposition Products:	For thermal decomposition products, see Section 5.
Hazardous Polymerization	Will not occur

11. TOXICOLOGICAL INFORMATION

Component Toxicological Data: Any adverse component toxicological effects are listed below. If no effects are listed, no such data were found.

Ingredient	CAS No.	Acute Data
Modified cellulose		Oral LD50: 27000 mg/kg (rat); Dermal LD50: >2000 mg/kg (rabbit); LC50: >5800 mg/m ³ /4H (rat)
Glycine, N,N-bis(carboxymethyl)-, trisodium salt	5064-31-3	Oral LD50: 920 mg/kg (rat); Inhalation LC50: >5 mg/l/4H

Ingredient	Component Toxicological Summary
Modified cellulose	Rats fed diets containing 2.5, 5 and 10% of this component for 3 months demonstrated some kidney effects. Effects were believed to be related to high sodium content of diet. (Food Chem. Toxicol.)
Glycine, N,N-bis(carboxymethyl)-, trisodium salt	The International Agency for Research on Cancer (IARC) has classified nitrilotriacetic acid trisodium salt as a Group 2B carcinogen (possibly carcinogenic to humans). This classification was based on sufficient evidence of carcinogenicity in animals and inadequate evidence of carcinogenicity in humans. (IARC). This component is also a "select carcinogen" by OSHA. The National Toxicology Program (NTP) has listed NTA and its salts as "may reasonable be anticipated to be a human carcinogen". Chronic ingestion of NTA and its trisodium salts has been shown to cause kidney toxicity in rats and mice and causes kidney tumors when administered orally at high concentrations to rodents.

MATERIAL SAFETY DATA SHEET

Trade Name: **HIBTROL* (all grades)**

MSDS No. 10666

Revision Date: 09/25/2009

Page 5/6

Product Toxicological Information:

No toxicological data is available for this product.

12. ECOLOGICAL INFORMATION

Component Ecotoxicity Data: Component ecotoxicity data are listed below. If no data are listed, none was found in the component review.

Ingredient	CAS No.	Data
Glycine, N,N-bis(carboxymethyl)-, trisodium salt	5064-31-3	LC50 96H: 103-114 mg/l (Pimephales promelas); LC50 96H: 252 mg/l (Lepomis macrochirus); EC50 48H: 560-1000 mg/l (Daphnia magna); EC50 8H: 3200-5600 mg/l (Pseudomonas fluorescens)

Product Ecotoxicity Data: LC50 96H: 21,000 ppm (freshwater trout); LC50 96H: 56,000 ppm (saltwater stickle back)

Biodegradation: The product is biodegradable.
Bioaccumulation: Not expected to bioaccumulate.
Octanol/Water Partition Coefficient: ND

13. DISPOSAL CONSIDERATIONS

Waste Classification: ND

Waste Management: Under U.S. Environmental Protection Agency (EPA) Resource Conservation and Recovery Act (RCRA), it is the responsibility of the user to determine at the time of disposal, whether the product meets RCRA criteria for the hazardous waste. This is because product uses, transformations, mixtures, processes, etc., may render the resulting materials hazardous. Empty containers retain residues. All labeled precautions must be observed.

Disposal Method: Recover and reclaim or recycle, if practical. Should this product become a waste, dispose of in a permitted industrial landfill. Ensure that the containers are empty by the RCRA criteria prior to disposal in a permitted industrial landfill.

14. TRANSPORT INFORMATION

U.S. DOT

Shipping Description:

Not regulated for transportation by DOT, TDG, IMDG, ICAO/IATA.

Canada TDG Shipping Description:

Not regulated.

UN PIN No:

Not regulated.

IMDG Shipping Description:

Not regulated.

ICAO/IATA Shipping Description:

Not regulated.

15. REGULATORY INFORMATION

MATERIAL SAFETY DATA SHEET

Trade Name: **HIBTROL* (all grades)**

MSDS No. 10666

Revision Date: 09/25/2009

Page 6/6

SARA 311/312 Hazard Categories: Delayed (chronic) health hazard.

SARA 302/304, 313; CERCLA RQ, California Proposition 65: Note: If no components are listed below, this product is not subject to the referenced SARA and CERCLA regulations and is not known to contain a Proposition 65 listed chemical at a level that is expected to pose a significant risk under anticipated use conditions.

International Chemical Inventories

Australia AICS - Components are listed or exempt from listing.
Canada DSL - Components are listed or exempt from listing.
China Inventory - Components are listed or exempt from listing.
European Union EINECS/ELINCS - Components are listed or exempt from listing.
Japan METI ENCS - Components are listed or exempt from listing.
Korea TCCL ECL - Components are listed or exempt from listing.
New Zealand - Components are listed or exempt from listing.
Philippine PICCS - Components are listed or exempt from listing.
U.S. TSCA - Components are listed or exempt from listing.
U.S. TSCA - No components are subject to TSCA 12(b) export notification requirements.

Canadian Classification:

Controlled Products Regulations Statement: This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

WHMIS Class: D2A

16. OTHER INFORMATION

The following sections have been revised: 1, 2, 4, 5, 6, 10, 15, 16

NA - Not Applicable, ND - Not Determined.

*A mark of M-I L.L.C.

Disclaimer:

MSDS furnished independent of product sale. While every effort has been made to accurately describe this product, some of the data are obtained from sources beyond our direct supervision. We can not make any assertions as to its reliability or completeness; therefore, user may rely on it only at user's risk. We have made no effort to censor or conceal deleterious aspects of this product. Since we cannot anticipate or control the conditions under which this information and product may be used, we make no guarantee that the precautions we have suggested will be adequate for all individuals and/or situations. It is the obligation of each user of this product to comply with the requirements of all applicable laws regarding use and disposal of this product. Additional information will be furnished upon request to assist the user; however, no warranty, either expressed or implied, nor liability of any nature with respect to this product or to the data herein is made or incurred hereunder.